

Jiulin/Jet

Ningbo Jiulin Electronics Co., Ltd
Ningbo Jet Autoparts Co.,Ltd.

Service Upmost

Responsibility is the assurance of quality
and quality is the life of corporation.
Detail determine success or failure,
and deligance creats life.



Contact Us!

Add: The North of No.329 National Road, Zhangqi Industrial Zone, Cixi,
Ningbo, Zhejiang, China.
Tel: +86-574-69372530
Fax: +86-574-63972536
E-mail: sales@jiulin.com
Web.: www.jiulin.com



Where we are?

2Hours Driving way from Shanghai
2Hours Driving way from Hangzhou
Near Hangzhou bay bridge.

**Professional
Manufacturing
Electronic Siren**





ABOUT US

Ningbo Jet Autoparts Co., Ltd. (The former name was "Ningbo Juling Electronics Co., LTD.") was founded in March 1996, (the headquarters is located in Hsinchu, Taiwan, established in 1992), the total investment amount is 8 million US dollars, the factory covers an area of 18,000 square meters, the total construction area of 18,000 square meters, the company is committed to expanding the original "car burglar alarm" production. Also according to the existing product design and production of automation equipment to better ensure product quality and daily output, the whole plant equipment and development and production technology are imported from Taiwan, for a professional enterprise including electronic and equipment design.

The main products are: turbine car anti-theft alarm, speaker accessories, turbine car spare parts and other products, sales market covers all over the world. At present, the company has a wide production space, precision and fast automated production equipment and excellent talents on the basis of the consistent business philosophy of "quality first, delivery on time, service first" and the spirit of "excellence", and the majority of customers to do better cooperation, common win-win situation.

ELECTRONIC SIREN

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600MA/1200MA
 OUTPUT POWER:15W/20W
 SPL:105/110DB/M@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:69(W) X 65(L)X65(H)MM



ITEM NO.: S25

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:105/110db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:85(W) x 89(L)x85(H)mm



ITEM NO.: S05

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:108/115db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:83(W) x 85(L)x83(H)mm



ITEM NO.: S13



ELECTRONIC SIREN



ITEM NO.: S20

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:105/110db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:73(W) x 67(L)x58(H)mm



ITEM NO.: S28

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:108/115db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:72(W) x 69(L)x72(H)mm



ITEM NO.: S29

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:105/110db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:72(W) x 78(L)x72(H)mm



ELECTRONIC SIREN



ITEM NO.: S31

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:105/108db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:86(W) x 88(L)x86(H)mm



ITEM NO.: S19

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1100mA
 OUTPUT POWER:15W/20W
 SPL:105/108db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:55(W) x 72(L)x75(H)mm



ITEM NO.: S33

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:105/112db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:91(W) x 85(L)x91(H)mm



ELECTRONIC SIREN



ITEM NO.: S35

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:108/115db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:88(W) x 105(L)x88(H)mm



ITEM NO.: S36

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:500mA
 OUTPUT POWER:15W
 SPL:102db/m@12V
 SOUND TYPE:DUAL TONE
 COLOR:WHITE
 SIZE:110(W) x 55(L)x110(H)mm



ITEM NO.: S37

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:500mA
 OUTPUT POWER:15W
 SPL:102db/m@12V
 SOUND TYPE:DUAL TONE
 COLOR:WHITE
 SIZE:42(W) x 163(L)x127(H)mm



ELECTRONIC SIREN



ITEM NO.: S38

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:108/115db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:82(W) x 77(L)x82(H)mm

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:108/115db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:101(W) x106(L)x101(H)mm



ITEM NO.: S44



ITEM NO.: S52

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA/1200mA
 OUTPUT POWER:15W/20W
 SPL:108/115db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 SIZE:83(W) x85(L)x100(H)mm



ELECTRONIC SIREN



ITEM NO.: S55

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA
 OUTPUT POWER:15W
 SPL:110db/m@12V
 SOUND TYPE:DUAL TONE
 COLOR:BLACK/WHITE
 SIZE:132(W) x150(L)x132(H)mm



ITEM NO.: S57

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:600mA
 OUTPUT POWER:15W
 SPL:110db/m@12V
 SOUND TYPE:DUAL TONE
 COLOR:BLACK
 SIZE:132(W) x150(L)x132(H)mm



ITEM NO.: S58

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:1200mA
 OUTPUT POWER:30W
 SPL:118db/m@12V
 SOUND TYPE:DUAL TONE
 COLOR:WHITE
 SIZE:200(W) x160(L)x117(H)mm



ELECTRONIC SIREN

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:1200mA
 OUTPUT POWER:30W
 SPL:118db/m@12V
 SOUND TYPE:DUAL TONE
 COLOR:WHITE
 SIZE:200(W) x235(L)x118(H)mm



ITEM NO.: S85

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:1200mA
 OUTPUT POWER:40W
 SPL:125db/m@12V
 SOUND TYPE:DUAL TONE
 COLOR:WHITE
 SIZE:279(W) x240(L)x167(H)mm



ITEM NO.: S711

OPERATING VOLTAGE:DC 6-14V
 CURRENT DRAW:1200mA
 OUTPUT POWER:40W
 SPL:135db/m@12V
 SOUND TYPE:DUAL TONE
 COLOR:WHITE
 SIZE:280(W) x290(L)x207(H)mm



ITEM NO.: S811

PIEZO SIREN



HORN SPEAKER : H50

IMPEDANCE:8/4 OHMS
 FREQUENCY:450-6000Hz
 OUTPUT POWER:15/20W
 COLOR:BLACK/WHITE/RED/GOLDEN
 SIZE:132(W) x120(L)x132(H)mm



ITEM NO.: P1

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:4.0KHz
 SPL:108db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:BLACK
 SIZE:45(W) X 60(L)X40(H) mm



ITEM NO.: P2

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:3.8KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:WHITE
 SIZE:85(W) X 85(L)X42(H) mm

PIEZO SIREN



ITEM NO.: P3

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:3.8KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE/6TONE
 COLOR:BLACK
 SIZE:69(W) X 65(L)X69(H) mm



ITEM NO.: P4

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:3.8KHz
 SPL:108db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:WHITE
 SIZE:72(W) X 62(L)X72(H) mm



ITEM NO.: P6

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:3.8KHz
 SPL:108db/m@12V
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK&WHITE&RED
 SIZE:54(W) X 55(L)X 54(H) mm

PIEZO SIREN



ITEM NO.: P7

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:3.8KHz
 SPL:108db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:WHITE/BLACK
 SIZE:62(W) X 85(L)X56(H) mm



ITEM NO.: P9

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:4.0KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:BLACK
 SIZE:40(W) X 23(L)X44(H) mm



ITEM NO.: P9-1

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:4.0KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:BLACK
 SIZE:40(W) X 23(L)X44(H) mm

PIEZO SIREN



ITEM NO.: P10

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:4.0KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:BLACK
 SIZE:60(W) X 34(L)X60(H) mm



ITEM NO.: P10-1

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:4.0KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:BLACK
 SIZE:60(W) X 34(L)X60(H) mm



ITEM NO.: P11

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:4.0KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:BLACK
 SIZE:60(W) X 50(L)X60(H) mm

PIEZO SIREN



ITEM NO.: P14

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:3.8KHz
 SPL:108db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:BLACK
 SIZE:91(W) X 85(L)X91(H) mm



ITEM NO.: P16

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:180mA
 FREQUENCY:3.5KHz
 SPL:108db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:WHITE
 SIZE:96(W) X 135(L)X45(H) mm



SIREN & STROBE: G2

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:1500mA
 FREQUENCY:3.8KHz
 SPL:100db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:RED&IVRY
 SIZE:Ø95(Dia) X165(H) mm

SIREN & STROBE



ITEM NO.: F1

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:200mA
 FREQUENCY:4.0KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:RED/BLUE&WHITE
 SIZE:72(W)X123(L) X45(H) mm



ITEM NO.: F5A

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:110mA
 FREQUENCY:3.8KHz
 SPL:105db/m@14V
 SOUND TYPE:SINGLE TONE
 COLOR:WHITE
 SIZE:121(W)X71(L) X40(H) mm



ITEM NO.: F5B

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:110mA
 FREQUENCY:3.8KHz
 SPL:105db/m@14V
 SOUND TYPE:SINGLE TONE
 COLOR:WHITE
 SIZE:75(W)X124(L) X37(H) mm

SIREN & STROBE



ITEM NO.: F6A

OPERATING VOLTAGE:DC6-15V
 IMPEDANCE:8OHM
 CURRENT DRAW:1400mA
 FLASH RATE:120 times per minute
 SPL:120db/m@14V
 SOUND TYPE:SINGLE TONE
 COLOR: WHITE &ORANGE/RED
 SIZE:195(W)X266(L) X95(H) mm



ITEM NO.: F6A-1

OPERATING VOLTAGE:DC6-15V
 IMPEDANCE:8OHM
 CURRENT DRAW:1400mA
 FLASH RATE:120 times per minute
 SPL:120db/m@14V
 SOUND TYPE:SINGLE TONE
 COLOR: WHITE &ORANGE/RED
 SIZE:195(W)X266(L) X95(H) mm



ITEM NO.: F6B

OPERATING VOLTAGE:DC12V
 IMPEDANCE:8OHM
 CURRENT DRAW:1400mA
 FLASH RATE:115 times per minute
 SPL:115db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR: WHITE &RED
 SIZE:168(W)X278(L) X94(H) mm

SIREN & STROBE



ITEM NO.: F6C

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:450mA
 FLASH RATE:100 times per minute
 SPL:115db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR: RED/ BULE & WHITE
 SIZE:252(W)X148(L) X64(H) mm



ITEM NO.: F6D

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:250mA
 FLASH RATE:100 times per minute
 SPL:115db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR: RED/ BULE & WHITE
 SIZE:200(W)X110(L) X80(H) mm



ITEM NO.: F7

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:1100mA
 FLASH RATE:100 times per minute
 SPL:115db/m@12V
 SOUND TYPE:WARBLE
 COLOR: RED/ BULE & WHITE
 SIZE:200(W)X155(L) mm

SIREN & STROBE



ITEM NO.: F8

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:50mA
 FREQUENCY:1.5-3KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR: RED/ BULE & WHITE
 SIZE:91(W)X66(L)X42.5 mm



ITEM NO.: F11

OPERATING VOLTAGE:DC10-16V
 CURRENT DRAW:1400mA
 FLASH RATE:120 times per minute
 SPL:120db/m@14V
 SOUND TYPE:SINGLE TONE
 COLOR: RED/ ORANGE & WHITE
 SIZE:215(W)X285(L) X95(H) mm



ITEM NO.: F650

OPERATING VOLTAGE:DC9-15V
 CURRENT DRAW:300mA
 FLASH RATE:60 times per minute
 SPL:115db/m@14V
 SOUND TYPE:SINGLE TONE
 COLOR: RED/ ORANGE & BLUE
 SIZE:154(W)X250(L) X68(H) mm

SIREN & STROBE



ITEM NO.: F730-1

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:250mA/450mA
 FLASH RATE:100 times per minute
 SPL:115db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR: RED/ BLUE & WHITE
 SIZE:220(W)X300(L) X53(H) mm



ITEM NO.: F730-2

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:250mA/450mA
 FLASH RATE:100 times per minute
 SPL:115db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR: RED/ BLUE & WHITE
 SIZE:220(W)X300(L) X53(H) mm



ITEM NO.: F660

OPERATING VOLTAGE:DC6-15V
 IMPEDANCE:80HM
 CURRENT DRAW:1400mA
 FLASH RATE:120 times per minute
 SPL:120db/m@14V
 SOUND TYPE:SINGLE TONE
 COLOR: WHITE &ORANGE/RED
 SIZE:240(W)X308(L) X100(H) mm

STROBE LIGHT



SIREN & STROBE: FS60

OPERATING VOLTAGE:12/24V
 CURRENT DRAW:1500mA
 FLASH RATE:100/ minute
 SPL:120db/m@12V
 SOUND TYPE:ONE- TONE
 METAL BOX FOR DOUBLE PROTECTION
 SIZE:150(L)X110(W)X280(H) mm



ITEM NO.: L1

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:120mA
 FLASH FREQUENCY:100times/minute
 COLOR:RED/BLUE/AMBER/CLEAR
 SIZE:Ø72(Dia) X45(H) mm



ITEM NO.: L1-1

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:120mA
 FLASH FREQUENCY:100times/minute
 COLOR:RED/BLUE/AMBER/CLEAR

STROBE LIGHT



ITEM NO.: L3

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:180mA
 FLASH FREQUENCY:80times/minute
 COLOR:RED/BLUE/AMBER/CLEAR
 SIZE:Ø99(Dia) X94(H) mm



ITEM NO.: L3-1

OPERATING VOLTAGE:DC12-24V
 CURRENT DRAW:120mA
 FLASH FREQUENCY:95times/minute
 COLOR:RED/BLUE/AMBER/CLEAR
 SIZE:Ø99(Dia) X94(H) mm



WIRELESS ALARM: F6A-W

OPERATING VOLTAGE:DC12-14.2V
 CURRENT DRAW:1600mA(MAX)@13.8V
 WIRELESS FREQUENCY:315/433MHz
 SPL:115db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR: WHITE & ORANGE/RED
 SIZE:195(W)X266(L) X95(H) mm

ALARM SENSORS



ITEM NO.: AS-01

SPECIFICATIONS:AS-01
 DETECTION DISTANCE: 8m (Max)(22ºC)
 DETECTION RANGE: 60 º(H) 5 º(V)
 OPERATING VOLTAGE: DC9V(6F22)
 SWITCH FUNCTION: Alarm/Off/Chime



ITEM NO.: AS-02

SPECIFICATIONS:AS-02
 DETECTION DISTANCE: 8m (Max)(22 ºC)
 DETECTION RANGE: 140 º
 OPERATING VOLTAGE: DC9V(6F22)
 SWITCH FUNCTION: Alarm/Off/Chime



FIRE ALARM: F

FIRE BUTTON
 COLOR: RED/ WHITE/GREEN
 SIZE:87(W)X87(L) X52(H) mm

FIRE ALARM



ITEM NO.: F-LED

COLOR: RED/ WHITE/GREEN
 SIZE:104(W)X92(L) X56(H) mm
 LED INDICATOR:RED&GREEN



ITEM NO.: F2

OPERATING VOLTAGE:DC6-14V
 CURRENT DRAW:250mA
 FREQUENCY:4.0KHz
 SPL:105db/m@12V
 SOUND TYPE:SINGLE TONE
 COLOR:RED
 SIZE:122(W)X72(L) X36(H) mm



ITEM NO.: F3

OPERATING VOLTAGE:DC20-30V
 CURRENT DRAW:95mA
 FREQUENCY:3.8KHz
 SPL:105db/m@24V
 SOUND TYPE:FIRE TONE
 COLOR:RED
 SIZE:115(W)X134(L) X47(H) mm

FIRE ALARM



ITEM NO.: F4

OPERATING VOLTAGE:DC20-30V
 CURRENT DRAW:95mA
 FREQUENCY:3.8KHz
 SPL:105db/m@24V
 SOUND TYPE:FIRE TONE
 COLOR:RED
 SIZE:160(W)X128(L) X47(H) mm



ITEM NO.: F101

OPERATING VOLTAGE:DC15-30V
 CURRENT DRAW:30mA
 TEMPERATURE:-10℃-50℃
 SPL:88db/m@24V
 SOUND TYPE:FIRE TONE
 COLOR:RED
 SIZE:82(W)X82(L) X30(H) mm



ITEM NO.: F102

OPERATING VOLTAGE:DC15-30V
 CURRENT DRAW:50mA
 TEMPERATURE:-10℃-50℃
 SPL:88db/m@24V
 SOUND TYPE:FIRE TONE
 COLOR:RED
 SIZE:82(W)X82(L) X52(H) mm

FIRE ALARM



ITEM NO.: F103

OPERATING VOLTAGE:DC20-28V
 CURRENT DRAW:300mA
 TEMPERATURE:-10℃-50℃
 SPL:112db/m@24V
 SOUND TYPE:FIRE TONE
 COLOR:RED
 SIZE:140(W)X180(L)X68.5(H) mm



ITEM NO.: FS58

OPERATING VOLTAGE:DC12-24V
 CURRENT DRAW:1200mA
 TEMPERATURE:-10℃-50℃
 SPL:120db/m@24V
 SOUND TYPE:FIRE TONE
 COLOR:RED
 SIZE:107(W)X107(L)X88(H) mm



ITEM NO.: F730-F

OPERATING VOLTAGE:DC12-24V
 CURRENT DRAW:150mA/250mA
 FLASH RATE:70times per minute
 SPL:115db/m@12V
 SOUND TYPE:FIRE TONE
 COLOR:RED
 SIZE:220(W)X300(L)X53(H) mm

FIRE ALARM



ITEM NO.: FS58-1

ITEM NO:FS58-1
 OPERATING VOLTAGE:DC12-24V
 CURRENT DRAW:190mA
 SIREN:40mA
 FLASH:150mA
 TEMPERATURE:-20°C-50°C
 SPL: ≥ 85db/m@24V
 SOUND TYPE:FIRE TONE
 COLOR:RED
 SIZE:107(W)X107(L)X88(H) mm



ITEM NO.: FS61

OPERATING VOLTAGE:DC12-24V
 CURRENT DRAW:40mA
 TEMPERATURE:-20°C-50°C
 SPL: ≥ 85db/m@24V
 SOUND TYPE:FIRE TONE
 COLOR:RED
 SIZE:123(W)X129(L)X72(H) mm



EMERGENCY ALARM
 &ALARM BELL: 190

OPERATING VOLTAGE:AC110/220V
 CURRENT DRAW:3A
 SPL:110db
 SOUND TYPE:CONTINUOUS TONE
 COLOR:RED
 SIZE:75(W)X82(L) X83(H) mm

EMERGENCY ALARM &ALARM BELL

OPERATING VOLTAGE:AC110/220V DC12/24V
 CURRENT DRAW:6/8A
 SPL:120db
 SOUND TYPE:CONTINUOUS TONE
 COLOR:WHITE
 SIZE:103(W)X163(L) X135(H) mm



ITEM NO.: 290

OPERATING VOLTAGE:AC110/220V
 CURRENT DRAW:1.9/1.0A
 SPL:130db
 SOUND TYPE:CONTINUOUS TONE
 COLOR:RED
 SIZE:132(W)X215(L) X145(H) mm



ITEM NO.: 390

OPERATING VOLTAGE:DC24V
 CURRENT DRAW:<50mA
 SPL:95db/m@24V
 SOUND TYPE:CONTINUOUS TONE
 COLOR:RED
 SIZE:150(Ø) mm



ITEM NO.: BELL-6

BUTTON



ITEM NO.: PB-54
ABS CASE PANIC BUTTON

COLOR: GREY WHITE AVAILABLE
 SIZE: 54X54X32MM
 VOLTAGE: 12VDC/24VDC
 CARRYING CURRENT: 0.3A
 OUTPUT: NO & NC



ITEM NO.: EXB1
EXIT BUTTON

HOUSING: ABS, GREY / WHITE AVAILAB
 (NOCTILUCENT AVAILABLE)
 LABEL: EMERGENCY / EXIT AVAILABLE
 SIZE: 22(W)x76(L)x15(H)mm
 VOLTAGE: 12VDC/24VDC
 CARRYING CURRENT: 0.3A
 OUTPUT: NO & NC



DRIVER UNIT: D6

IMPEDANCE: 4/8 OHMS
 VOICE COIL DIMENSION: Ø25.5mm (Dia)
 MAGNET SIZE: Ø70X32X10mm(Dia.*dia*H)
 INPUT POWER: 20W
 SIZE: 80(W)x80(L)x53(H)

DRIVER UNIT

IMPEDANCE: 4/8 OHMS
 VOICE COIL DIMENSION: Ø25.5mm (Dia)
 MAGNET SIZE: Ø70X32X10mm(Dia.*dia*H)
 INPUT POWER: 20W
 SIZE: 88(W)x80(L)x60(H)



ITEM NO.: D7

IMPEDANCE: 4/8 OHMS
 VOICE COIL DIMENSION: Ø25.5mm (Dia)
 MAGNET SIZE: Ø70X32X10mm(Dia.*dia*H)
 INPUT POWER: 20W
 SIZE: 80(W)x104(L)x60(H)



ITEM NO.: D8

IMPEDANCE: 4/8 OHMS
 VOICE COIL DIMENSION: Ø25.5mm (Dia)
 MAGNET SIZE: Ø70X32X10mm(Dia.*dia*H)
 INPUT POWER: 20W
 SIZE: 77(W)x104(L)x56(H)



ITEM NO.: D9

DRIVER UNIT



ITEM NO.: D10

IMPEDANCE:4/8 OHMS
 VOICE COIL DIMENSION:Ø37mm (Dia)
 MAGNET SIZE:Ø90X45X13mm(Dia.*dia*H)
 INPUT POWER:30W/40W
 SIZE:98(W)X98(L)X65(H)



ITEM NO.: D11

IMPEDANCE:4/8 OHMS
 VOICE COIL DIMENSION:Ø37mm (Dia)
 MAGNET SIZE:Ø90X45X13mm(Dia.*dia*H)
 INPUT POWER:30W/40W
 SIZE:107(W)X107(L)X70(H)



BACKUP ALARM: B1

POWER:15W
 VOLTAGE:DC12-80Volt
 CURRENT :250mA
 SOUND:Beep-Beep Sound/White Noise
 dB/M:102dB+3dB
 MATERIAL:NYLON
 COLOR:BLACK
 PACKING:60PCS/0.025CBM

BACKUP ALARM

POWER:15W
 VOLTAGE:DC12-80Volt
 CURRENT :250mA
 SOUND:Beep-Beep Sound/White Noise
 dB/M:102dB+3dB
 MATERIAL:NYLON
 COLOR:BLACK
 PACKING:60PCS/0.025CBM



ITEM NO.: B1-1

POWER:15W
 VOLTAGE:DC12-80Volt
 CURRENT :250mA
 SOUND:Beep-Beep Sound/White Noise
 dB/M:102dB+3dB
 MATERIAL:NYLON
 COLOR:BLACK
 PACKING:60PCS/0.025CBM



ITEM NO.: B1-2

OPERATING VOLTAGE:DC 12v or 24V
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:58(W) X 67(L) X58(H)mm



BATTERY BACKUP SIREN: B21



BATTERY BACKUP SIREN



ITEM NO.: B22

OPERATING VOLTAGE:DC 12v or 24V
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:74(W) X 67(L) X73(H)mm



ITEM NO.: B24

OPERATING VOLTAGE:DC 12v or 24V
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:58(W) X 68(L) X58(H)mm



ITEM NO.: B27

OPERATING VOLTAGE:DC 12v or 24V
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:58(W) X 66(L) X58(H)mm



BATTERY BACKUP SIREN

OPERATING VOLTAGE:DC 12v or 24V
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:74(W) X 67(L) X74(H)mm



ITEM NO.: B28

OPERATING VOLTAGE:DC 12v or 24V
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:62(W) X 67(L) X62(H)mm



ITEM NO.: B29

OPERATING VOLTAGE:DC 12v
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:85(W) X 88(L) X85(H)mm



ITEM NO.: B31



BATTERY BACKUP SIREN



ITEM NO.: B32

OPERATING VOLTAGE:DC 12v
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:107(W) X 79(L) X75(H)mm



ITEM NO.: B33

OPERATING VOLTAGE:DC 12v
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:91(W) X 85(L) X91(H)mm



ITEM NO.: B34

OPERATING VOLTAGE:DC 12v
 OUTPUT POWER:15W/20W
 SOUND TYPE:SINGLE TONE/6-TONE
 COLOR:BLACK
 KEY Swith Type: Round/Flat
 SIZE:90(W) X 86(L) X90(H)mm

KEYBOARD PLAY SIREN

OPERATING VOLTAGE:DC6-12v
 OUTPUT POWER:15W/20W
 SOUND TYPE:4 TONE
 COLOR:BLACK
 SIZE:88(W) X 105(L) X88(H)mm



ITEM NO.: K35-4

OPERATING VOLTAGE:DC12V
 FUNCTIONAL TYPE:ALARM/ANIMAL MUSIC/PIANO/MIC
 OUTPUT POWER:10W/20W



ITEM NO.: M46

OPERATING VOLTAGE:DC12v
 Record Time:30 Seconds
 Output Power:10W/20W



ITEM NO.: R10





NEODYMIUM ELECTRONIC SIREN



ITEM NO.: N15

OPERATION VOLTAGE:DC 6-12V
SOUND TYPE:SINGLE / 6 TONE
OUTPUT POWER: 15W/20W
DIM.: 63(W)*68(L)*63(H)MM
COLOR: BLACK



ITEM NO.: N21

OPERATION VOLTAGE:DC 6-12V
SOUND TYPE:SINGLE / 6 TONE
OUTPUT POWER: 15W/20W
DIM.: 58(W)*67(L)*58(H)MM
COLOR: BLACK



ITEM NO.: N22

OPERATION VOLTAGE:DC 6-12V
SOUND TYPE:SINGLE / 6 TONE
OUTPUT POWER: 15W/20W
DIM.: 74(W)*67(L)*74(H)MM
COLOR: BLACK



NEODYMIUM ELECTRONIC SIREN

OPERATION VOLTAGE:DC 12V
SOUND TYPE:SINGLE / 6 TONE
OUTPUT POWER: 15W/20W
DIM.: 70(W)*68(L)*57(H)MM
COLOR: BLACK OR WHITE



ITEM NO.: N23

OPERATION VOLTAGE:DC 12V
SOUND TYPE:SINGLE / 6 TONE
OUTPUT POWER: 15W/20W
DIM.: 58(W)*68(L)*58(H)MM
COLOR: BLACK



ITEM NO.: N24

OPERATION VOLTAGE:DC 12V
SOUND TYPE:SINGLE / 6 TONE
OUTPUT POWER: 15W/20W
DIM.: 62(W)*67(L)*62(H)MM
COLOR: BLACK



ITEM NO.: N26



NEODYMIUM ELECTRONIC SIREN



ITEM NO.: N27

Operation Voltage:DC 12V
 Sound Type:SINGLE / 6 TONE
 Output Power: 15W/20W
 DIM.: 58(W)*66(L)*58(H)mm
 Color: BLACK



ITEM NO.: N29

Operation Voltage:DC 12V
 Sound Type:SINGLE / 6 TONE
 Output Power: 15W/20W
 DIM.: 62(W)*67(L)*62(H)mm
 Color: BLACK



ITEM NO.: YC5

Operation Voltage:DC6-12V
 Sound Type:SINGLE / 6 TONE
 Output Power: 15W/20W
 DIM.: 60(W)*60(L)*75(H)mm
 Color: BLACK




HAND WORK PRODUCTION LINE



Filature & External Speaker Bonding Machine



Neodymium Bonding Fixed Machine



Voice Coil Bonding Machine

